



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/708,310

02/24/2004

Franz Ehrenleitner

031240

2309

22876 7590 04/25/2008

FACTOR & LAKE, LTD  
1327 W. WASHINGTON BLVD.  
SUITE 5G/H  
CHICAGO, IL 60607

EXAMINER

MAYEKAR, KISHOR

ART UNIT

PAPER NUMBER

1795

MAIL DATE

DELIVERY MODE

04/25/2008

PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

<b>Response to Rule 312 Communication</b>	<b>Application No.</b>	<b>Applicant(s)</b>
	10/708,310	EHRENLEITNER, FRANZ
	<b>Examiner</b>	<b>Art Unit</b>
	Kishor Mayekar	1795

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --**

1. ☒ The amendment filed on 20 March 2008 under 37 CFR 1.312 has been considered, and has been:

a) ☐ entered.

b) ☐ entered as directed to matters of form not affecting the scope of the invention.

c) ☐ disapproved because the amendment was filed after the payment of the issue fee.

Any amendment filed after the date the issue fee is paid must be accompanied by a petition under 37 CFR 1.313(c)(1) and the required fee to withdraw the application from issue.

d) ☐ disapproved. See explanation below.

e) ☒ entered in part. See explanation below.

1. The substitute oath or declaration is defective. A new oath or declaration in compliance with 37 CFR 1.67(a) identifying this application by application number and filing date is required. See MPEP §§ 602.01 and 602.02.

The substitute oath or declaration is defective because:

Non-initialed and/or non-dated alterations have been made to the oath or declaration. See 37 CFR 1.52(c).

2. The replacement drawing sheet to Fig. 4 is acceptable.

/Kishor Mayekar/  
Primary Examiner, Art Unit 1795